

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	42	(identify or identifying or identified or identification or select\$3 or choos\$3 or assign\$4 or determin\$5 or specify or specified or specifying) adj10 (zone or region or area or subarea or geographic\$3) adj10 (based or accord\$4 or depend\$3 or correspond\$3 or associated) adj10 (network adj address or IP) and (@AD < "20020115" or @RLAD < "20020115")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/02 10:53
L2	26	L1 and (DNS or request\$3 adj5 (IP or address))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/02 09:33
L3	23	2 and geographic\$2 adj2 location	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/02 09:35
L4	3	2 not 3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/02 09:34
L5	790	(DNS or domain adj name adj server) with (deliver\$3 or send\$3 or return\$3 or transmit\$4) with (IP or network adj address and (zone or region or location)) and (@AD < "20020115" or @RLAD < "20020115")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/02 10:54
L6	549	(DNS or domain adj name adj server) with (deliver\$3 or send\$3 or return\$3 or transmit\$4) adj10 (IP or network adj address and network near5 (zone or region or location)) and (@AD < "20020115" or @RLAD < "20020115")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/02 10:55
L7	581	(DNS or domain adj name adj server) adj10 (resolve\$3 or deliver\$3 or send\$3 or return\$3 or transmit\$4) adj10 (IP or network adj address and network near5 (zone or region or location)) and (@AD < "20020115" or @RLAD < "20020115")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/02 10:56

L8	0	(DNS or domain adj name adj server) adj10 (resolv\$3 or deliver\$3 or send\$3 or return\$3 or transmit\$4) adj10 ((IP or network adj address) and network near5 (zone or region or location)) and (@AD < "20020115" or @RLAD < "20020115")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/02 10:57
L9	6	(DNS or domain adj name adj server) near10 (resolv\$3 or deliver\$3 or send\$3 or return\$3 or transmit\$4) near10 ((IP or network adj address) and network near5 (zone or region or location)) and (@AD < "20020115" or @RLAD < "20020115")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/02 11:06
L10	58	(DNS or domain adj name adj server) near10 (resolv\$3 or deliver\$3 or send\$3 or return\$3 or transmit\$4) near10 ((IP or network adj address) and (zone or region or location)) and (@AD < "20020115" or @RLAD < "20020115")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/02 11:06
L11	20	(DNS or domain adj name adj server) near10 (resolv\$3 or deliver\$3 or send\$3 or return\$3 or transmit\$4) near10 ((IP or network adj address) with (zone or region or location)) and (@AD < "20020115" or @RLAD < "20020115")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/02 11:06
L12	9	(DNS or domain adj name adj server) near10 (resolv\$3 or deliver\$3 or send\$3 or return\$3 or transmit\$4) near10 ((IP or network adj address) near5 (zone or region or location)) and (@AD < "20020115" or @RLAD < "20020115")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/02 11:10
L13	6	(DNS or domain adj name adj server) near10 (resolv\$3 or deliver\$3 or send\$3 or return\$3 or transmit\$4) near10 ((IP or network adj address) with (network or geographic\$2) adj3 (zone or region or location)) and (@AD < "20020115" or @RLAD < "20020115")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/02 11:25

L14	6	13 not 12	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/02 11:11
L15	16	(DNS or domain adj name adj server) near10 (resolv\$3 or deliver\$3 or send\$3 or return\$3 or transmit\$4) near10 ((IP or network adj address) with (network or geographic\$2 or server) adj3 (zone or region or location or map)) and (@AD < "20020115" or @RLAD < "20020115")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/02 11:25
L16	4	(DNS or domain adj name adj server) near10 (resolv\$3 or deliver\$3 or send\$3 or return\$3 or transmit\$4) near10 ((IP or network adj address) near5 (network or geographic\$2 or server) adj3 (zone or region or location or map)) and (@AD < "20020115" or @RLAD < "20020115")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/02 11:25